

Standard mesh Belgium

NSBE



Type	Ø mm	Dimensions L x B (mm)	Centers (mm)	Weight kg/Piece	Pieces/ Bundle	Weight kg/Bundle	Extra per type €/T
PS 130 A	5	3000 x 2000	150 - 150	12,63	50	632	300
PS 196 A	5	3000 x 2000	100 - 100	18,48	50	924	310
PS 188 A	6	3000 x 2000	150 - 150	18,20	50	910	230
PS 335 A	8	3000 x 2000	150 - 150	32,39	40	1296	215
P 130 A	5	5000 x 2000	150 - 150	20,17	50	1009	290
P 188 A	6	5000 x 2000	150 - 150	29,08	50	1454	220
P 335 A	8	5000 x 2000	150 - 150	51,75	30	1553	205
P 524 A	10	5000 x 2000	150 - 150	80,83	20	1617	205
B 188 A	6	5950 x 2350	150 - 150	38,32	40	1533	220
B 335 A	8	5950 x 2350	150 - 150	64,90	20	1298	205
B 503 A	8	6000 x 2400	100 - 100	100,49	10	1005	215
B 524 A	10	5950 x 2350	150 - 150	101,37	10	1014	205
B 785 A	10	6000 x 2400	100 - 100	156,97	10	1570	215
B 754 A	12	5950 x 2350	150 - 150	138,53	10	1385	205
B 1131 A	12	6000 x 2400	100 - 100	210,99	5	1055	215

Rebar type

- Long rods
- Cross Rods

Grade DE500BS - B500A (Ribbed)

Grade DE500BS - B500A (Ribbed)

Certificates Intersig nv



Certificates Intersig France sarl

Certificates Van Merksteijn Steel bv





For the up to date scope on our certificates, we would like to refer you to our website.

Standard mesh Belgium

NSBE



Dimensions



Certificates Intersig nv



Certificates Intersig France sarl


Certificates Van Merksteijn Steel bv



For the up to date scope on our certificates, we would like to refer you to our website.

Standard mesh Belgium

NSBE





Type	Ø mm	Dimensions L x B (mm)	Centers (mm)	Weight kg/Piece	Pieces/ Bundle	Weight kg/Bundle
TP-08	5 - 8	2400 x 800	150 - 100	5,79	70	406
TP-10	6 - 10	2400 x 1000	150 - 100	10,94	60	656

Rebar type

- Long rods Grade B500A - DE500BS (Ribbed)
- Cross Rods Grade B500A - DE500BS (Ribbed)

Dimensions



Certificates Intersig nv



Certificates Intersig France sarl

Certificates Van Merksteijn Steel bv



For the up to date scope on our certificates, we would like to refer you to our website.